

NUSC Technical Document 7793  
7 October 1986

7793  
cy003

DTIC FILE COPY

AD-A227 341

# A Presentation on Perturbation Modeling for Ocean Sound Propagation

A Paper Presented at the  
12th International Congress  
on Acoustics, 16-18 July 1986,  
in Halifax, Nova Scotia, Canada

Mark D. Duston  
Ghasi R. Verma  
David H. Wood  
Surface Ship Sonar Department

~~RETURN TO DOCUMENTS LIBRARY~~



**Naval Underwater Systems Center**  
Newport, Rhode Island / New London, Connecticut

Approved for public release; distribution limited.

DTIC  
ELECTE  
OCT 12 1990  
S E D

## Preface

The work reported in this document was completed under NUSC Project No. A92045, Dr. Rolf Kasper, Principal Investigator. A portion of this research was completed while two of us (Duston and Verma) participated in the U.S. Navy-ASEE Summer Faculty Research Program at the Naval Underwater Systems Center, New London Laboratory, in conjunction with NUSC Independent Research Project A92045.

Reviewed and Approved: 7 October 1986

  
W. A. Von Winkle  
Associate Technical Director  
for Technology

# REPORT DOCUMENTATION PAGE

1a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED			1b. RESTRICTIVE MARKINGS		
2a. SECURITY CLASSIFICATION AUTHORITY			3. DISTRIBUTION/AVAILABILITY OF REPORT Approved for public release; distribution unlimited		
2b. DECLASSIFICATION/DOWNGRADING SCHEDULE					
4. PERFORMING ORGANIZATION REPORT NUMBER(S) TD 7793			5. MONITORING ORGANIZATION REPORT NUMBER(S)		
6a. NAME OF PERFORMING ORGANIZATION Naval Underwater Systems Center		6b. OFFICE SYMBOL (if applicable)	7a. NAME OF MONITORING ORGANIZATION		
6c. ADDRESS (City, State, and ZIP Code) New London Laboratory New London, CT 06320			7b. ADDRESS (City, State, and ZIP Code)		
8a. NAME OF FUNDING/SPONSORING ORGANIZATION		8b. OFFICE SYMBOL (if applicable)	9. PROCUREMENT INSTRUMENT IDENTIFICATION NUMBER		
8c. ADDRESS (City, State, and ZIP Code)			10. SOURCE OF FUNDING NUMBERS		
			PROGRAM ELEMENT NO.	PROJECT NO.	TASK NO.
11. TITLE (Include Security Classification) A PRESENTATION ON PERTURBATION MODELING FOR OCEAN SOUND PROPAGATION					
12. PERSONAL AUTHOR(S) Mark D. Duston, Ghasi R. Vermi, and David H. Wood					
13a. TYPE OF REPORT		13b. TIME COVERED FROM TO		14. DATE OF REPORT (Year, Month, Day) 1986 October 7	
15. PAGE COUNT					
16. SUPPLEMENTARY NOTATION					
17. COSATI CODES			18. SUBJECT TERMS (Continue on reverse if necessary and identify by block number)		
FIELD	GROUP	SUB-GROUP	Wave Propagation, Perturbation Acoustics Modeling		
19. ABSTRACT (Continue on reverse if necessary and identify by block number)					
<p>This document is based on a presentation given at the 12th International Congress on Acoustics in Halifax, Nova Scotia, Canada, 16-18 July 1986.</p> <p>We assume that the speed of sound in the water and the bottom of the ocean is a function of only the depth, and not the range. We also assume that the ocean and its bottom eventually interface with a rigid halfspace. This problem can be solved by the method of normal modes, involving the eigenvalues and eigenfunctions of a depth dependent ordinary differential equation. Since the sound speed in this problem varies only a little from its average value, we exploit the fact that the eigenfunctions and eigenvalues are known when the sound speed is constant. We investigate the changes in these eigenvalues and eigenfunctions that result from changes in the depth dependent sound speed within the ocean and its bottom, using an algebraic formulation of the effect</p>					
20. DISTRIBUTION/AVAILABILITY OF ABSTRACT <input checked="" type="checkbox"/> UNCLASSIFIED/UNLIMITED <input type="checkbox"/> SAME AS RPT. <input type="checkbox"/> DTIC USERS			21. ABSTRACT SECURITY CLASSIFICATION UNCLASSIFIED		
22a. NAME OF RESPONSIBLE INDIVIDUAL David H. Wood			22b. TELEPHONE (include Area Code) (203) 440-4831		22c. OFFICE SYMBOL Code 3332

## 19. ABSTRACT (Cont'd.)

of the perturbation. Another more recent approach to finding the changes in the eigenvalues and eigenfunctions is a transmutation approach. We show a method of approximating the kernel of an integral transform and use it to find the first order corrections to the eigenvalues and eigenfunctions. Finally we compare the results of these two approaches with the results of classical perturbation theory for the same problem.



# PERTURBATION MODELING FOR OCEAN SOUND PROPAGATION

M.D. DUSTON  
G.R. VERMA  
D.H. WOOD

## GRAPH 1


We would like to present an overview of some applications of perturbation theory for ordinary differential equations to ocean sound propagation. We are concerned generally with the problem of calculating the normal modes, and specifically we are involved with finding methods that allow us to find these normal modes in a much more efficient manner than present methods.

We examine three different approaches involving perturbation for the calculation of normal modes.

Accession For	
NTIS GRA&I	<input checked="" type="checkbox"/>
DTIC TAB	<input checked="" type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A-1	



WE WANT TO SOLVE THE FOLLOWING PROBLEM:



$$p_{rr}(r,z) + \frac{1}{r} p_r(r,z) + p_{zz}(r,z) + k^2 n^2(z) p(r,z) = 0,$$

WITH  $p(r,0) = 0$  AND  $p_z(r,h) = 0$ .

GRAPH 2

We are dealing at this point with a fairly simplified model of the ocean and make the following assumptions:

- 1) uniform depth,
- 2) ocean is an isotropic medium,
- 3) sound speed a function of depth only,
- 4) pressure  $p=0$  at the surface,
- 5) ocean and its bottom are eventually (at some depth  $h$ ) underlaid by a rigid surface.

Under these assumptions the excess pressure  $p$  satisfies the Helmholtz Equation,

$$p_{rr}(r,z) + \frac{1}{r} p_r(r,z) + p_{zz}(r,z) + k^2 n^2(z) p(r,z) = 0,$$

with the boundary conditions

$$p(r,0) = 0 \quad \text{and} \quad p_z(r,h) = 0.$$

Here the term  $n^2(z)$  reflects the depth dependent nature of the sound speed.



### SOLVING BY SEPARATION OF VARIABLES,

$$p(r,z) = \psi(z) \theta(r),$$

### THE NORMAL MODES MUST SATISFY

$$\psi''(z) + k^2 n^2(z) \psi(z) = \lambda \psi(z),$$

$$\psi(0) = 0 \quad \text{AND} \quad \psi'(h) = 0$$

#### GRAPH 3

We solve in a standard manner by using the method of separation of variables  $p(r,z) = \psi(z)\theta(r)$ . The depth dependent equation gives the normal modes which satisfy

$$\psi''(z) + k^2 n^2(z) \psi(z) = \lambda \psi(z)$$

with the boundary conditions expressed as

$$\psi(0) = 0 \quad \text{and} \quad \psi'(h) = 0.$$



### THE INDEX OF REFRACTION

$$n^2(z) = 1 + \epsilon s(z)$$

CONTAINS A PERTURBATION  $\epsilon s(z)$ .

THE CASE  $\epsilon = 0$  REPRESENTS AN IDEALIZED OCEAN  
WITH CONSTANT SOUND SPEED.

#### GRAPH 4

The quantity  $n^2(z)$  is the index of refraction and we represent it as  
$$n^2(z) = 1 + \epsilon s(z),$$

where the quantity  $\epsilon s(z)$  is considered a perturbation. We introduce the parameter  $\epsilon$  which reflects the strength of the perturbation.. We assume that the function  $s(z)$  is known for the case of interest. When  $\epsilon=0$  we have recovered the idealized ocean with constant sound speed.





### THE IDEALIZED NORMAL MODE PROBLEM

$$\phi''(z) + k^2 \phi(z) = \ell \phi(z),$$

$$\phi(0) = 0 \quad \text{AND} \quad \phi'(h) = 0$$

WITH  $L_2$  NORMALIZATION HAS SOLUTIONS

$$\phi_m(z) = \sqrt{\frac{h}{2}} \sin \frac{(2m-1)\pi z}{2h}$$

AND

$$m = 1, 2, 3, \dots$$

$$\ell_m = k^2 - \left[ \frac{(2m-1)\pi}{2h} \right]^2.$$

### GRAPH 5

It is well known that for the idealized ocean with constant sound speed that the normal modes satisfy

$$\phi''(z) + k^2 \phi(z) = \ell \phi(z)$$

and the boundary conditions we imposed are

$$\phi(0) = 0 \quad \text{and} \quad \phi'(h) = 0.$$

It is well known that this problem has a complete set of solutions with eigenfunctions given by

$$\phi_m(z) = \sqrt{\frac{h}{2}} \sin \frac{(2m-1)\pi z}{2h} \quad m = 1, 2, \dots$$

and corresponding discrete eigenvalues given by

$$\ell_m = k^2 - \left[ \frac{(2m-1)\pi}{2h} \right]^2 \quad m = 1, 2, \dots$$

These eigenfunctions have been  $L_2$  normalized.



## THE GENERAL PERTURBATION APPROACH

FIND THE EIGENFUNCTIONS  $\psi_n$  AND THE EIGENVALUES  $\lambda_n$  OF THE PERTURBED PROBLEM IN TERMS OF THE EIGENFUNCTIONS  $\phi_n$  AND EIGENVALUES  $\ell_n$  OF THE IDEALIZED PROBLEM AND THE PERTURBATION  $\epsilon s(z)$ .

### GRAPH 6

In a perturbation approach we find the eigenfunctions  $\psi_m$  and eigenvalues  $\lambda_m$  of the perturbed (depth dependent) in terms of the eigenfunctions  $\phi_m$  and eigenvalues  $\ell_m$  of an idealized problem (which we know) and the perturbation  $\epsilon s(z)$  (which we also know). Specifically we look for the changes or corrections which must be made to the idealized eigenfunctions and eigenvalues.



## THE CLASSICAL APPROACH

EXPAND IN POWER SERIES IN  $\epsilon$

$$\lambda_m = \ell_m + \epsilon \lambda_m^{(1)} + \epsilon^2 \lambda_m^{(2)} + \dots$$

AND

$$\psi_m(z) = \phi_m(z) + \epsilon \psi_m^{(1)}(z) + \epsilon^2 \psi_m^{(2)}(z) + \dots,$$

BUT OBTAIN EACH TERM OF  $\psi_m(z)$  ONLY AS A FOURIER SERIES

$$\psi_m^{(i)}(z) = \sum_{p=1}^{\infty} \alpha_{mp}^{(i)} \phi_p(z).$$

GRAPH 7

The first approach we examine is the classical perturbation approach found in Titchmarsh. The eigenvalues and eigenfunctions of the perturbed problem are expanded in power series of the parameter  $\epsilon$ .

The perturbed eigenvalue equals the idealized eigenvalue plus corrections,

$$\lambda_m = \ell_m + \epsilon \lambda^{(1)} + \epsilon^2 \lambda^{(2)} + \dots$$

The perturbed eigenfunctions equals the idealized eigenfunctions plus corrections,

$$\psi_m(z) = \phi_m(z) + \epsilon \psi_m^{(1)}(z) + \epsilon^2 \psi_m^{(2)}(z) + \dots$$

However, we find the corrections to the perturbed eigenfunctions only as a Fourier series of the idealized eigenfunctions and we must find the Fourier coefficients  $\alpha$  in terms of the idealized eigenfunction, the idealized eigenvalues and the perturbation.



## THE CLASSICAL RESULTS

THE CORRECTIONS TO FIRST ORDER IN  $\epsilon$  ARE

$$\lambda_m^{(1)} = \frac{2k^2}{h} \int_0^h s(z) \left[ \sin \frac{(2m-1)\pi z}{2h} \right]^2 dz.$$

THE FOURIER COEFFICIENTS ARE

$$\alpha_{mn}^{(1)} = \frac{2k^2}{h} \int_0^h s(z) \sin \frac{(2m-1)\pi z}{2h} \sin \frac{(2n-1)\pi z}{2h} dz,$$

AND

$$\alpha_{mm}^{(1)} = 0.$$

### GRAPH 8

In a fairly straight forward manner the explicit equations for the corrections may be derived. We exhibit the corrections to the first order in  $\epsilon$ . The first order correction to the  $m^{\text{th}}$  eigenvalue is given by the formula

$$\lambda^{(1)} = \frac{2k^2}{h} \int_0^h s(z) \left[ \sin \frac{(2m-1)\pi z}{2h} \right]^2 dz.$$

The first order correction to the eigenfunctions is given in terms of an infinite fourier series whose coefficients are given by

$$\alpha_{mn}^{(1)} = \frac{2k^2}{h} \int_0^h s(z) \sin \frac{(2m-1)\pi z}{2h} \sin \frac{(2n-1)\pi z}{2h} dz \quad \text{and} \quad \alpha_{mm}^{(1)} = 0$$



## THE GALERKIN APPROACH

### DEFINE MATRICES

$$L = \begin{bmatrix} l_1 & & 0 \\ & l_2 & \\ & & l_3 \\ 0 & & \ddots \\ & & & \ddots \end{bmatrix}, \quad \Phi = \begin{bmatrix} \phi_1(z) \\ \phi_2(z) \\ \phi_3(z) \\ \vdots \\ \vdots \\ \vdots \end{bmatrix},$$

$$\Lambda = \begin{bmatrix} \lambda_1 & & 0 \\ & \lambda_2 & \\ & & \lambda_3 \\ 0 & & \ddots \\ & & & \ddots \end{bmatrix}, \quad \text{AND } \Psi = \begin{bmatrix} \psi_1(z) \\ \psi_2(z) \\ \psi_3(z) \\ \vdots \\ \vdots \\ \vdots \end{bmatrix}.$$

GRAPH 9

The next approach we examine is a Galerkin type approach. For compactness of notation we define  $L$  an infinite diagonal matrix whose entries are the eigenvalues of the idealized problem,  $\Phi(z)$  an infinite column vector whose entries are the eigenfunctions of the idealized problem,  $\Lambda$  an infinite diagonal matrix whose entries are the eigenvalues of the perturbed problem and  $\Psi(z)$  an infinite column vector whose entries are the eigenfunctions of the perturbed problem.



## THE GALERKIN APPROACH (Cont'd)

THE PERTURBED PROBLEM IS

$$\Psi'' + k^2(1 + \epsilon s(z)) \Psi = \Lambda \Psi,$$

$$\Psi(0) = 0 \text{ AND } \Psi'(h) = 0.$$

THE IDEALIZED PROBLEM IS

$$\Phi'' + k^2 \Phi = L \Phi,$$

$$\Phi(0) = 0 \text{ AND } \Phi'(h) = 0.$$

THE GALERKIN APPROACH FINDS A MATRIX D SUCH THAT

$$\Psi(z) = D\Phi(z).$$

GRAPH 10

We may now express the perturbed problem in terms of the vector equation

$$\Psi'' + k^2(1 + \epsilon s(z))\Psi = \Lambda \Psi$$

where  $k^2(1 + \epsilon s(z))$  is a scalar quantity and the boundary conditions are

$$\Psi(0) = 0 \quad \text{and} \quad \Psi'(h) = 0,$$

where the 0 is a zero vector. The idealized problem is represented by a corresponding vector equation.

In the Galerkin approach we look for a constant linear transformation (constant matrix) that satisfies

$$\Psi = D\Phi$$

In fact, we can guarantee the existence of such a matrix. The entries of the  $m$ th row of the matrix D are the coefficients of the  $m^{\text{th}}$  eigenfunction  $\psi$  expressed as a Fourier series in the eigenfunctions of the idealized problem.



## THE GALERKIN APPROACH (Cont'd)

WE OBTAIN AN INFINITE ALGEBRAIC  
EIGENPROBLEM FOR THE MATRIX  $D^t$ ,

$$(L + \epsilon A) D^t = D^t \Lambda,$$

WHERE

$$A = \int_0^h k^2 s(z) \Phi(z) \Phi^t(z) dz.$$

GRAPH 11

Substituting the transformation with a normalization constraint we simplify and obtain an infinite algebraic eigenproblem

$$(L + \epsilon A) D^t = D^t \Lambda,$$

where  $A$  is a matrix defined by

$$A = \int_0^h k^2 s(z) \Phi \Phi^t dz$$

and  $^t$  denotes the transpose. This is really a standard algebraic eigenproblem of the type  $MX = \lambda X$  where the columns of  $D^t$  are taken to be the vectors  $X$ . It is important that  $\Lambda$  multiply  $D^t$  on the right so that the  $m^{\text{th}}$  column of  $D^t$  is multiplied by the  $m^{\text{th}}$  eigenvalue in  $\Lambda$ . In this approach it is not necessary that the parameter  $\epsilon$  be small. The matrix  $A$  has special structure (it is symmetric, and the sum of Hankel and Toeplitz matrices) and it is this special structure which can be exploited to solve the problem more efficiently than an arbitrary eigenproblem.



## THE TRANSMUTATION APPROACH

WE EXPRESS THE PERTURBED NORMAL MODES AS

$$\psi_n(z) = \phi_n(z) + \int_h^z K(z,s) \phi_n(s) ds.$$

EXPAND THE PERTURBED PROBLEM IN POWER SERIES IN  $\epsilon$ .

GRAPH 12

The last approach we examine is a transmutation approach. First we express the solution of the perturbed normal mode problem in terms of the integral transform of the solutions of an idealized normal mode problem. We use a transform of the type given by

$$\psi_m(z) = \phi_n(z) + \int_h^z K(z,s) \phi(s) ds$$

where we must specify the kernel function  $K(z,s)$ . In fact, we do not solve for this kernel analytically but instead expand in a power series in the parameter  $\epsilon$ . We have developed an explicit method to find the coefficient of the power series expansion of the kernel and thus can approximate the kernel function.





## THE TRANSMUTATION RESULTS

THE CORRECTIONS TO FIRST ORDER IN  $\epsilon$  ARE

$$\lambda_n = \ell_n + \epsilon \left| \frac{(2n-1)\pi}{2h} \sqrt{\frac{2}{h}} \phi_n^{(1)}(0) \right|$$

AND

$$\begin{aligned} \psi_n(z) = \phi_n(z) + \epsilon \left\{ \phi_n^{(1)}(0) \left( \left| 1 - \frac{z}{h} \right| \cos \frac{(2n-1)\pi z}{2h} - \int_0^h \left| 1 - \frac{z}{h} \right| \cos \frac{(2n-1)\pi z}{2h} \theta_n^{(0)}(z) dz \right) \right. \\ \left. + \left( \int_h^z K^{(1)}(z,s) \theta_n^{(0)}(s) ds - \int_0^h \left[ \int_h^z K^{(1)}(z,s) \theta_n^{(0)}(s) ds \right] \theta_n^{(0)}(z) dz \right) \right\}. \end{aligned}$$

GRAPH 13

We can express the perturbed eigenvalues to the first order in  $\epsilon$  as

$$\lambda_n = \ell_n + \epsilon \left[ \frac{(2n-1)\pi}{2h} \sqrt{\frac{2}{h}} \phi_n^{(1)}(0) \right]$$

and the perturbed eigenfunctions as

$$\begin{aligned} \psi_n(z) = \phi_n(z) \\ + \epsilon \left\{ \phi_n^{(1)}(0) \left[ \left| 1 - \frac{z}{h} \right| \cos \frac{(2n-1)\pi z}{2h} - \int_0^h \left| 1 - \frac{z}{h} \right| \cos \frac{(2n-1)\pi z}{2h} \theta_n^{(0)}(z) dz \right] \right. \\ \left. + \left[ \int_h^z K^{(1)}(z,s) \theta_n^{(0)}(s) ds - \int_0^h \left[ \int_h^z K^{(1)}(z,s) \theta_n^{(0)}(s) ds \right] \theta_n^{(0)}(z) dz \right] \right\}. \end{aligned}$$

While the correction to the eigenfunction may look complicated it is the whole correction. We have an explicit formula without having to resort to Fourier series expansion.



## THE TRANSMUTATION RESULTS (Cont'd)

THE CORRECTIONS TO FIRST ORDER IN  $\epsilon$  ARE DEFINED  
IN TERMS OF

$$\phi_n^{(1)}(0) = \int_0^h K^{(1)}(0,s) \theta_n^{(0)}(s) ds$$

AND

$$\epsilon K^{(1)}(z,s) = -\frac{k^2}{2} \left( \int_h^{\frac{z+s}{2}} [n^2(\zeta) - 1] d\zeta + \int_h^{\frac{z-s+2h}{2}} [n^2(\zeta) - 1] d\zeta \right).$$

GRAPH 14

The corrections for the eigenvalues and eigenfunctions are expressed in terms of  $\phi_n^{(1)}(0)$  and  $K^{(1)}(z,s)$ . The first constant is defined by the expression

$$\phi_n^{(1)}(0) = \int_0^h K^{(1)}(0,s) \theta_n^{(0)}(s) ds,$$

and the first order in epsilon term of the power series expansion of the kernel is given by

$$\epsilon K^{(1)}(z,s) = -\frac{k^2}{h} \left[ \int_h^{\frac{(z+s)/2}{2}} [n^2(\zeta) - 1] d\zeta + \int_h^{\frac{(z-s)/2}{2} + h} [n^2(\zeta) - 1] d\zeta \right].$$

We again have the perturbation type result where the corrections are explicit functions of  $\theta$ , the unperturbed eigenfunction,  $\ell$ , the unperturbed eigenvalue and the expression  $[n^2(z) - 1]$ , which is the perturbation.



## COMPARISON OF APPROACHES

	POWER SERIES IN $\epsilon$	FOURIER SERIES	NOT EXPLICIT FORMULAS
CLASSICAL	✓	✓	
GALERKIN		✓	✓
TRANSMUTATION	✓		

GRAPH 15

In summary let us examine each approach. The classic approach gives explicit formulas that are readily obtained for the corrections but depends on both power series expansion in  $\epsilon$  and infinite Fourier series expansion of the corrections for the eigenfunctions. The Galerkin approach is neither dependent on small  $\epsilon$  nor does it require a power series expansion in that parameter, however, the eigenfunctions are given in terms of a Fourier series and does not give explicit formulas for the corrections. Finally the transmutation method gives explicit formulas without the need for the Fourier series expansion, but it still requires a power series expansion in  $\epsilon$  and the calculations required are somewhat more involved.

Abraham, Phil  
Code 5132, Physical Acoustic Branch  
Naval Research Lab.  
Washington, DC 20375

Ahluwalia, D. S.  
Chairman  
Mathematics Department  
New Jersey Institute of Technology  
Newark NJ 07102

Ames, W. F.  
Georgia Inst of Tech  
Atlanta, GA 30332

Andrushkiw, R.  
Mathematics Department  
New Jersey Institute of Technology  
Newark NJ 07102

Avula, Xavier  
Institute for Applied Science  
Box 1488  
Rolla, MI 65401

Baer, Ralph  
Naval Research Lab.  
Washington, DC 20375

Baggeroer, Authur B.  
Mass Inst of Tech  
Cambridge, MA 02139

Bates, Susan  
Syscon  
Middletown, RI 02840

Bayliss, Alvin  
Exxon, Res  
P.O. Box 45  
Linden, NJ 07036

Bleistein, Norman  
Mathematics Department  
Colorado School of Mines  
Golden, CO 80401

Bojarski, Norbert  
16 Pine Valley Lane  
Newport Beach, CA 92660

Bragg, Louis  
Department of Mathematics  
Oakland University  
Rochester, MI 48063

Burridge, Robert  
Courant Institute of Mathematical Sciences  
251 Mercer St  
New York, NY 10012

Carroll, Robert  
Department of Mathematics  
University of Ill  
Urbana, IL 61801

Cohn, Harvey  
Mathematics Department  
Convent Ave and 138th St  
New York, NY 10031

Caviness, B. F.  
Professor and Chairman  
Department of Computer and  
Information Sciences  
University of Delaware  
Newark, DE 19716

Colton, David  
Department of Mathematical Sciences  
University of Delaware  
Newark, DE 19716

Davis, J.  
Planning Systems, Inc.  
Suite B, Foss Building  
95 Trumbull Street  
New London, CT 06320

Yves Desaubies  
Woods Hole Oceanographic Inst.  
Woods Hole, MA 02543

DeSanto, John  
Mathematics Department  
Colorado School of Mines  
Golden, CO 80401

Dettman, John  
Department of Mathematics  
Oakland University  
Rochester, MI 48063

Driver, R.  
Mathematics Department  
University of Rhode Island  
Kingston, RI 02881

Dozier, Lewis  
Sciences Applications, Inc.  
1710 Goodridge Dr.  
McLean, VA 22102

Dout, J.  
Woods Hole Oceanographic Inst.  
Woods Hole, MA 02543

Ebert, G.  
Department of Mathematical Sciences  
University of Delaware  
Newark, DE 19716

Elman, Howard  
Computer Sciences Department  
University of Maryland, Baltimore County  
Cantonville, MD 21228

Evans, Richard  
ODSI Defense Systems, Inc.  
N. Stonington Prof. Center  
N. Stonington CT 06359-1738

Felsen, L. B.  
Dept of Elec Eng and  
Computer Science  
Polytechnic University  
Farmingdale, NY 11735

Finizio, N.  
Mathematics Department  
University of Rhode Island  
Kingston, RI 02881

Fiduccia, Charles  
GE, Research and Development  
P.O. Box 8  
Schenectady, NY 12301

Fishman, Louis  
Department of Civil Engineering  
The Catholic University of America  
Washington, DC 20064

Fleury, Patrick  
4801 Shaboygan Ave. Apt-101  
Madison, Wisconsin 53705

Frankenthal, Shimshon  
Department of Ocean Engineering  
MIT  
Cambridge, MA 02139

Gilbert, Robert P.  
Department of Mathematical Sciences  
University of Delaware  
Newark, DE 19716

Goodman, Ralph  
SACLANT ASW Research Center  
APO New York 09019

Grove, E.  
Department of Mathematics  
University of Rhode Island  
Kingston, RI 02881

Hewer, Gary  
Naval Weapons Center  
China Lake, CA 93555

Jacobson, Melvin  
Department of Mathematical Sciences  
Rensselaer Polytechnic Institute  
Troy, NY 12181

Jeffrey, Allen  
Department of Engineering Mathematics  
University of Newcastle Upon Tyne  
NE 171U  
England

Johnson, D.  
Department of Mathematics  
University of Rhode Island  
Kingston, RI 02881

Kleinman, Ralph  
Department of Mathematical Sciences  
University of Delaware  
Newark, DE 19716

Kriegsmann, Gregory A.  
Dept of Eng Sci and Appl Math  
Northwestern University  
Evanston, IL 60201

Kot, Alex  
Electrical Engineering  
University of Rhode Island  
Kingston, RI 02881

Kuo, John T.  
Aldridge Lab of Appl Geophysics  
Columbia Univ  
New York, NY 10027

Ladas, G.  
Mathematics Department  
University of Rhode Island  
Kingston, RI 02881

Lakshmanasamy, S.  
Electrical Engineering  
University of Rhode Island  
Kingston, RI 02881

Lamagna, Edmund  
Computer Sciences Department  
University of Rhode Island  
Kingston, RI 02881

Lengyel, Grabriel  
Department of Electircal Engineering  
University of Rhode Island  
Kingston, RI 02881

Lewis, J.  
Department of Mathematics  
University of Rhode Island  
Kingston, RI 02881

Li, Dong-Jye  
Ocean Engineering Department  
University of Rhode Island  
Kingston, RI 02881

Li, Jian-Shu  
Box 2155, Yale Station  
New Haven, CT 06520

Liu, P.  
Mathematics Department  
University of Rhode Island  
Kingston, RI 02881

Lu, I. T.  
Dept of Elec Eng and  
Computer Science  
Polytechnic University  
Farmingdale, NY 11735



Madych, Wolodymyr  
Department of Mathematics  
University of Connecticut  
Storrs, CT 06268

McCoy, J. J.  
Department of Mathematics  
Catholic University of America  
Washington, DC 20064

Maltz, Frederick  
Westinghouse Electric Corp.  
P.O. Box 1488 - M/S 9260  
Annapolis, MD 21404

Marshall, Charles  
State University of New York  
Computer Science Dept.  
Potdam, NY 13676

Mayfield, Betty  
22 E 4th Street  
Frederick, MD 21701

Merklinger, Harold  
Defense Research Establishment Atlantic  
9 Grove Street  
Dartmouth, Nova Scotia  
Canada

Miller, Willard Jr.  
School of Mathematics  
University of Minnesota  
Minneapolis, MN 55455

Montgomery, J.  
Department of Mathematics  
University of Rhode Island  
Kingston, RI 02881

Mullikin, Thomas  
Code 411MA  
Office Naval Research  
800 Quincy Street  
Arlington, VA 22217

Norris, A. N.  
Department Computer Sci.  
Rutgers Univ  
New Brunswick, NJ 08903

Pakula, Lewis  
Department of Mathematics  
University of Rhode Island  
Kingston, RI 02881

Papadakis, John  
Department of Mathematics  
University of Crete  
Iraklion  
Greece

Pierce, Allan D.  
Georgia Inst of Tech  
Atlanta, GA 30332

Porter, Michael  
Code 5120  
Naval Research Lab.  
Washington, DC 20375

Richards, P. C.  
IBM Corporation  
Atlanta, GA 30332

Reiss, Edward L.  
Dept of Eng Sci and Appl Math  
Northwestern University  
Evanston, IL 60201

Robertson, John  
Department of Mathematics  
U.S. Military Academy  
West Point, NY 10996-1786

Rokhlin, Vladimir  
Computer Science Dept.  
Yale University  
10 Hillhouse  
New Haven, CT 06520

Roxin, E.  
Department of Mathematics  
University of Rhode Island  
Kingston, RI 02881

Shisha, O.  
Mathematics Department  
University of Rhode Island  
Kingston, RI 02881

Sine, Robert  
Department of Mathematics  
University of Rhode Island  
Kingston, RI 02881

Santosa, Fadil  
Department of Mathematical Sciences  
University of Delaware  
Newark, DE 19716

Sarkissian, Angie  
Sach/Freeman Associates  
Bowie, MD 20715

Saunders, D.  
Department of Computer and  
Information Sciences  
University of Delaware  
Newark, DE 19716

Schmidt, Henrik  
SACLANT ASW Research Centre  
APO New York 09019

Schultz, Martin  
Computer Science Department  
10 Hillhouse  
New Haven, CT 06520

Schwartz, Stuart C.  
Department of Elec. Engineering  
Princeton University  
Princeton, NJ 08544

Shen, Longjun  
P.O. Box 8009  
Beijing  
People's Republic of China

Siegmann, Bill  
Department of Mathematical Sciences  
Rensselaer Polytechnic Institute  
Troy, NY 12181

Spofford, Charles  
Sciences Applications, Inc.  
1710 Goodridge Dr.  
McLean, VA 22102

St. Mary, Donald  
Cntr for Appl Math & Sci Comp  
Department of Mathematics  
University of Mass  
Amherst, MA 101003

Stakgold, Ivar  
Chairman  
Department of Mathematical Sciences  
University of Delaware  
Newark, DE 19716

Stepanishen, Peter  
Department of Ocean Engineering  
University of Rhode Island  
Kingston, RI 02881

Sternberg, Robert  
Office Naval Research  
495 Summer Street  
Boston, MA 02210

Stickler, David  
Mathematics Department  
Colorado School of Mines  
Golden, CO 80401

Suryanaryan, E.  
Department of Mathematics  
University of Rhode Island  
Kingston, RI 02881

Teng, Yu-chiung  
Aldridge Lab of Appl Geophysics  
Columbia Univ  
New York, NY 10027

Thomson, David J.  
Defence Research Establishment Pacific  
Forces Mail Office  
Victoria, British Columbia  
Canada VOS 1B0

Trefethen, Lloyd N.  
Department of Mathematics  
Mass Inst of Tech  
Cambridge, MA 02139

Tufts, Donald  
Department of Electrical Engineering  
University of Rhode Island  
Kingston, RI 02881

Turkel, Eli  
Tel Aviv University  
Math Science School  
Ramat Aviv  
Tel Aviv, Israel

Van Loan, Charles  
Department of Computer Science  
Cornell University  
Ithaca, NY 14853

Verma, Ghasi R.  
Department of Mathematics  
University of Rhode Island  
Kingston, RI 02881

Vichnevetsky, R  
Department Computer Sci.  
Rutgers Univ  
New Brunswick, NJ 08903

Vignes, J.  
Universite P. et M. Curie  
4, Place Jussieu  
75230 PARIS Cedex  
France

Weinberg, H.  
Senior Technical Director  
ODSI Defense Systems, Inc.  
N. Stonington Prof. Center  
N. Stonington CT 06359-1738

**END  
FILMED**

DATE: 12-90

**DTIC**